## 2013 Consumer Confidence Report

Water System Name:	Tres Pinos Water District			Report Date: 6/18/14		
We test the drinking water quality for many constituents as required by State and Federal Regulations. This report shows t results of our monitoring for the period of January 1 - December 31, 2013.						
Este informe contiene inf	formación muy i	mportante sobre su a que lo entienda bier		le. Tradúzcalo ó hable con alguien		
Type of water source(s) in us	e: Well					
Name & location of source(s):	Well 01, Bolado RD., Tres Pinos					
Drinking Water Source Assessment information:		the following activities water supply: Crops, irr	associated igation, fer the source	1 is considered most vulnerable to with contaminants detected in the tilizer, and pesticide/herbicide is considered vulnerable to treets.		
Time and place of regular participation:	d meetings for public	Mor offic	nthly, Tres Pinos Water District			
For more information, contact:	Ray Creech,	General Manager	_ Phone:	831-628-3319		

#### TERMS USED IN THIS REPORT:

**Maximum Contaminant Level (MCL)**: The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA). Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The level of a disinfectant added for water treatment that may not be exceeded at the consumer's tap.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a disinfectant added for water treatment below which there is no known or expected risk to health. MRDLGs are set by the U.S. Environmental Protection Agency.

**Primary Drinking Water Standards (PDWS)**: MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

**Secondary Drinking Water Standards (SDWS)**: MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

**Treatment Technique (TT)**: A required process intended to reduce the level of a contaminant in drinking water. **Regulatory Action Level (AL)**: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

**Variances and Exemptions**: Department permission to exceed an MCL or not comply with a treatment technique under certain conditions.

**ND:** not detectable at testing limit

**ppm**: parts per million or milligrams per liter (mg/L) **ppb**: parts per billion or micrograms per liter (ug/L)

**ppt**: parts per trillion or nanograms per liter (ng/L) **pCi/L**: picocuries per liter (a measure of radiation)

**Public Health Goal (PHG)**: The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

#### Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial
  processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, USEPA and the state Department of Health Services (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

Tables 1, 2, 3, 4, and 5 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The Department requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, are more than one year old.

Microbiological	Highest	No. of			MCLG	COLIFORM BACTERIA  Typical Source of Bacteria
Contaminants (to be completed only if there was a detection of bacteria)	No. of detection	months in violation			MCLO	Typical Source of Bucheria
Total Coliform Bacteria	(In a mo.)	0	More than 1 sample in a month with a detection		0	Naturally present in the environment
Fecal Coliform or E. coli	(In the year)	0	A routine sample and a repeat sample detect total coliform and either sample also detects fecal coliform or E. coli		0	Human and animal fecal waste
TABLE 2 -	SAMPLING	RESULTS	SHOWING	THE DET	ECTION C	OF LEAD AND COPPER
Lead and Copper (to be completed only if there was a detection of lead or copper in the last sample set)	No. of samples collected	90 <sup>th</sup> percentil e level detected	No. Sites exceeding AL	AL	MCLG	Typical Source of Contaminant
Lead (ppb)	9/29/11	< 0.005	0	15	2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits.
Copper (ppm)	9/29/11	0.038	0	1.3	0.17	Internal corrosion of household water plumbing systems; erosion of natural deposits; leaching from wood preservatives.
-	ΓABLE 3 - S	SAMPLING	RESULTS F	OR SODI	UM AND	HARDNESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	3/28/13 9/30/13	1188 1236	1188	none	none	Generally found in ground and surface water
Hardness (ppm)	1/10/11	648	648	none	none	Generally found in ground and surface water

<sup>\*</sup>Any violation of an MCL or AL is asterisked. Additional information regarding the violation is provided on Page 4.

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Nitrate (as NO3), ppm	1/10/13	5	2-6	45	45 (N/A)	Fertilizer use; Leaching from septic tanks, sewage.
	3/28/13	6				septic tunks, sewage.
	9/30/13	2				
Gross Alpha (pCi/L)	1/13/09	4.04	.87-9.23	15	N/A, (0)	Erosion of natural deposits.
	2/16/09	.87				
	4/6/09	9.23				
	7/23/09	3.66				
	10/16/09	3.17				
Uranium (pCi/L)	1/13/09	5.82	3.92-5.82	20	N/A(N/A)	Erosion of natural deposits.
	4/6/09	4.46				
	7/23/09	3.96				
	10/16/09	3.92				
	ION OF C	ONTAMIN			NDARY DR	INKING WATER STANDARD
Chemical or Constituent	Sample	Level	Range of	MCL	PHG	Typical Source of Contaminant
(and reporting units)	Date	Detected	Detections		(MCLG)	Dunaff / acabina form natural
Chloride (ppm)	3/28/13 9/30/13	156 158	156 158	500	N/A, (N/ A)	Runoff/Leaching from natural deposits; Seawater influence.
Total Dissolved Solids	3/28/13	*1188	*1188	1000	N/A, (N/	Runoff/leaching from natural
(TDS) (ppm)				1000	A)	deposits.
	9/30/13	^1236	"1230			
Sulfate (ppm)	9/30/13 3/28/13	<b>*1236</b> 352	<b>*1236</b> 352	500	N/A, (N/	Runoff/leaching from natural deposits: industrial wastes
· ·				500	N/A, (N/ A)	deposits; industrial wastes.
· · ·	3/28/13	352	352	500 5		
Sulfate (ppm)	3/28/13 9/30/13	352 333	352 333		A) N/A, (N/	deposits; industrial wastes.
Sulfate (ppm)  Turbidity (NTU)  Manganese (ppb)	3/28/13 9/30/13 1/10/11	352 333 0.48	352 333 0.48	5	A) N/A, (N/ A) N/A, (N/A)	deposits; industrial wastes.  Soil runoff.  Leaching from natural deposits.
Sulfate (ppm)  Turbidity (NTU)  Manganese (ppb)  Specific Conductance	3/28/13 9/30/13 1/10/11	352 333 0.48	352 333 0.48	5	A) N/A, (N/ A) N/A,	deposits; industrial wastes.  Soil runoff.  Leaching from natural deposits.  Substances that form ions when
Sulfate (ppm)  Turbidity (NTU)  Manganese (ppb)	3/28/13 9/30/13 1/10/11 1/10/11	352 333 0.48 *82	352 333 0.48 *82	5	A) N/A, (N/ A) N/A, (N/A)	deposits; industrial wastes.  Soil runoff.  Leaching from natural deposits.
Sulfate (ppm)  Turbidity (NTU)  Manganese (ppb)  Specific Conductance (micromhos)	3/28/13 9/30/13 1/10/11 1/10/11 1/10/11	352 333 0.48 *82 *1918	352 333 0.48 *82 *1918	5 50 1600	A)  N/A, (N/ A)  N/A,  (N/A)  N/A,  (N/A)	deposits; industrial wastes.  Soil runoff.  Leaching from natural deposits.  Substances that form ions when in water; Seawater influence.
Sulfate (ppm)  Turbidity (NTU)  Manganese (ppb)  Specific Conductance (micromhos)	3/28/13 9/30/13 1/10/11 1/10/11 1/10/11	352 333 0.48 *82 *1918	352 333 0.48 *82 *1918	5 50 1600	A)  N/A, (N/ A)  N/A,  (N/A)  N/A,  (N/A)	deposits; industrial wastes.  Soil runoff.  Leaching from natural deposits.  Substances that form ions when in water; Seawater influence.

<sup>\*</sup>Any violation of an MCL or AL is asterisked. Additional information regarding the violation is provided below.

## **Additional General Information On Drinking Water**

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

# Summary Information for Contaminants Exceeding an MCL or AL, or a Violation of any Treatment or Monitoring and Reporting Requirements

Total Dissolved Solids and Specific Conductance exceed the Secondary (aesthetic) drinking water standards. Some people find the taste of high dissolved solids water objectionable, yet similar high dissolved solids water is bottled and sold as mineral water. It is not economically feasible to lower the dissolved solids level at the central treatment plant. If you find the taste of high dissolved solids water unpalatable, you may prefer low dissolved solids bottled water (natural, deionized, reverse osmosis, distilled, purified) or can install treatment devices that reduce the dissolved solids of your tap water.

Manganese MCL violation - Manganese was found at levels that exceed the Secondary MCL of 50 PPB. The manganese MCL was set to protect you against unpleasant aesthetic effects such as color, taste, and odor. The high manganese levels are due to leaching of natural deposits.

The water is chlorinated to maintain bacteriological quality throughout the distribution system.

### For Water Systems Providing Ground Water as a Source of Drinking Water

TABLE 7 – SAMPLING RESULTS SHOWING FECAL INDICATOR-POSITIVE GROUND WATER SOURCE SAMPLES						
Microbiological Contaminants (complete if fecal-indicator detected)	Total No. of Detections	Sample Dates	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant	
E. coli	0		0	(0)	Human and animal fecal waste	
Enterococci	0		TT	n/a	Human and animal fecal waste	
Coliphage	0		TT	n/a	Human and animal fecal waste	

Summary Information for Fecal Indicator-Positive Ground Water Source Samples, Uncorrected Significant Deficiencies, or Ground Water TT

SPECIAL NO	OTICE OF FECAL INI	DICATOR-POSITIVE	GROUND WATER SOUR	CE SAMPLE
N/A				
SP	ECIAL NOTICE FOR	UNCORRECTED SIG	GNIFICANT DEFICIENCI	ES
N/A	1			
	VIOLA	TION OF GROUND V	WATER TT	
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
0				
0				